<b>A</b>	Doozooct.			
	ooznest			
	ty Data Sheet			
	ding to EU Directive 1907/2006, as amended			
Prod	uct name: ABS			
	f issue: 23-07-2018 Version: 3.2 Version: 3.2			
1. Idei	nuncation of the substance/preparation and of the company			
1.1	Trade name: ABS			
1.2	<b>Use of the product:</b> 3Dprinter Filament			
1.3	Supplier:			
	Ooznest Limited The Yard, Old Crown Lane,			
	Brentwood, Essex, CM14 5TA			
	United Kingdom Phone: 01277 523171			
	Company Registration No: 09582219			
2 Haz	zards identification			
<b>Z.</b> 11a2				
2.1	Classification of the substance or mixture			
	According to Regulation (EC) No 1272/2008 [CLP] This mixture is classified as not hazardous.			
2.2	Label elements			
	ing (CLP)			
	Hazard statements: not applicable Safety precautions: not applicable			
Labelli	ing (67/548/EEC or 1999/45/EC)			
	R phrase(s): not applicable			
	S phrase(s): not applicable			
2.3	Other hazards			
	Dust:Can cause skin, eye and respiratory tract irritation.Fine dust:explosive			
	The melted product can cause severe burns.			
	Swallowing may cause gastrointestinal irritation and pain of guts.			
3. Cor	mposition/information on ingredients			
3.2.	Mixtures			
Chemical characterization: Polymer mixture, enhanced for 3D printing				
CAS No. 9003-56-9: > 98 % Styrene-acrylonitrile-butadiene copolymer				
CAS N	lo. 100-42-5: < 0,1 % Styrene			
4. Firs	st aid measures			
4.1 Description of first aid measures				
	•			

Page 1 / 10



According to EU Directive 1907/2006, as amended

# Product name: ABS

Date of issue: 23-07-2018 General information: Version: 3.2

Immediately remove any contaminated clothing, shoes or stockings. After inhalation:

Provide fresh air. Put victim at rest and keep warm. Seek medical attention In case of skin contact:

The melted product can cause severe burns.

Do not attempt to remove molten product, or molten product that has cooled, from skin without

medical assistance.

After contact with molten product, cool skin area rapidly with cold water. Consult physician. After eye contact:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Consult an eye specialist in the event of irritation.

#### After swallowing:

Rinse mouth with water. Drink one or two glasses of water. Never give an unconscious person anything through the mouth. seek medical attention

#### **4.2 Most important symptoms and effects, both acute and delayed** Dust: Skin irritation, eye irritations and redness

**4.3** Indication of any immediate medical attention and special treatment needed Treat symptomatically.

# 5. Fire fighting measures

# 5.1 Extinguishing media

Suitable extinguishing media: Water spray, Foam, Dry powder, Carbon dioxide (CO2). Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

# 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: hydrogen cyanide, carbon monoxide and carbon dioxide (CO2). In case of dust (Fine dust): danger of dust explosion

# 5.3 Advice for fire fighters

Fire fighting measures

Wear a self-contained breathing apparatus and chemical protective clothing.

# Unusual Fire Hazards:

Do not allow fire water to penetrate into surface or ground water. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

# 6. Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Page 2 / 10



According to EU Directive 1907/2006, as amended

# Product name: ABS

Date of issue: 23-07-2018

Version: 3.2

Provide adequate ventilation. Wear personal protection equipment. Do not breathe dust.

# 6.2 Environmental precautions

Do not allow to penetrate into soil, waterbodies or drains.

# **6.3 Methods and materials for containment and cleaning up** Avoid generation of dust. Remove all sources of ignition.

Take up mechanically. Collect in closed containers for disposal. Additional information: Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer to section (8)

# 7. Handling and storage

# 7.1 Handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Do not breathe dust. In the case of the formation of dust: Withdraw by suction.

Molten material: Avoid contact with the substance.

Precautions against fire and explosion:

Take precautionary measures against static discharge. Keep away from sources of ignition. Use grounding equipment. Use explosion-proof equipment and non-sparking tools/utensils. Avoid open flames.

Dust forms explosive mixtures with air.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Store in a well-ventilated place. Keep container tightly closed.

Protect against heat /sun rays. Protect from moisture contamination.

Storage class:

11 = Combustible solids

# 8. Exposure controls/personal protection

# 8.1 Control parameters

Occupational exposure limit values:

CAS no.	Designation	Туре	Limitvalue
	ABS®df	Great Britain: WEL-TWA	10 mg/m <sup>3</sup> Dust limit value inhalable fraction
		Great Britain: WEL-TWA Ireland: 8 hours Ireland: 8 hours	4 mg/m <sup>3</sup> Dust limit value respirable fraction 10 mg/m <sup>3</sup> Dust limit value inhalable fraction 4 mg/m <sup>3</sup>

Page 3 / 10



According to EU Directive 1907/2006, as amended

#### **Product name: ABS** Date of issue: 23-07-2018

Version: 3.2

Date of 155de. 20	01 2010		VCI5I011. 0.2
			Dust limit value respirable fraction
100-42-5	Styrene	Great Britain: WEL-STEL Great Britain: WEL-TWA Ireland: 15 minutes Ireland: 8 hours	1.080mg/m <sup>3</sup> ; 250 ppm 430 mg/m <sup>3</sup> ; 100 ppm 170 mg/m <sup>3</sup> ; 40 ppm 85 mg/m <sup>3</sup> ; 20 ppm
107-13-1	Acrylonitrile	Great Britain: WEL-TWA Ireland: 8 hours	4,4 mg/m <sup>3</sup> ; 2 ppm 4,5 mg/m <sup>3</sup> ; 2 ppm (May be absorbed through the skin.)
106-99-0	1,3-Butadiene	Great Britain: WEL-TWA Ireland: 8 hours	22 mg/m <sup>3</sup> ; 10 ppm Carc) 2,2 mg/m <sup>3</sup> ; 1 ppm C1, Mut2

# 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area

Occupational exposure controls

Respiratory protection:

Respiratory protection must be worn whenever the WEL levels have been exceeded. Use filter type A-P2 according to EN 14387.

Hand protection:

Protective gloves according to EN 374.

Glove material: Nitrile rubber - Layer thickness: 0,11 mm. Breakthrough time: >480 min. Observe glove manufacturer's instructions concerning penetrability and breakthrough time. In case of melting: Protective gloves against heat according to EN 407.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection:

Tightly sealed goggles according to EN 166.

Body protection:

Wear suitable protective clothing. boots or Wear protective shoes.

General protection and hygiene measures:

Molten material: Avoid contact with skin.

Do not inhale dust particles or vapours. Keep away from sources of ignition. Wash hands before breaks and after work.

In case of dust: Particular danger of slipping when spread on the ground.

Environmental exposure controls

Do not allow to penetrate into soil, waterbodies or drains.

Page 4 / 10



According to EU Directive 1907/2006, as amended

# **Product name: ABS**

Date of issue: 23-07-2018

Version: 3.2

# 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

- Appearance Odour Colour Odour threshold pН Melting/freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower flammability or explosive limits Vapour pressure Vapour density Relative density Solubility(ies) Partition coefficient (n-octanol/water) Auto-ignition temperature Decomposition temperature Viscosity Explosive properties Oxidizing properties
- Solid Filament Odourless to mild depending on product grade No information available Not applicable > 100 °C (DIN EN ISO 306) Not applicable > 400 °C Not applicable No information available UEL: No data available LEL: No data available Not applicable Not applicable at 20 °C: approx. 1,04 g/cm3 (DIN 53479 Negligible Not available not self-igniting approx. 300 °C Not applicable Dust explosion risk at fine dust Oxidising potential: not oxidising

#### 9.2 Other Information

Ignition temperature:> 400 °C (DIN 51794)Bulk density:at 20 °C: approx. 600 kg/m³ (DIN 53466)Additional information:No data available

# 10. Stability

- **10.1 Reactivity:** No information available
- **10.2** Chemical stability: Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions:** In case of dust (Fine dust): danger of dust explosion
- **10.4 Conditions to avoid**: Avoid elevated temperatures for prolonged periods of time.
- **10.5 Incompatible materials:** Strong oxidisers

Page 5 / 10

Safety Data Sheet According to EU Directive 1907/2006, as amended					
Product name: ABS Date of issue: 23-07-2018 Version: 3.2					
10.6	Hazardous decomposition productsIn case of fire may be liberated: hydrogen cys(CO2).Thermal decomposition:approx. 300To avoid thermal decomposition, do not overl	°C			
<b>11. To</b>	oxicological information				
11.1	Information on toxicological effects				
	Toxicological effects:				
	Lack of data           Skin sensitisation:         Lack of data           Germ cell mutagenicity/Genotoxicity:	Not to be expected Not to be expected			
	Carcinogenicity: Lack of data	e):			
	Dusts: Irritating to e Specific target organ toxicity (repeated expos	yes, respiratory system and skin. sure):			
	Aspiration hazard: Lack of data				
Other i	r information: Styrene: Harmful if inhaled. Causes da repeated exposure. lung damages. May be fa serious eye irritation. Causes skin irritation.	amage to organs through prolonged or atal if swallowed and enters airways. Causes			
	Acrylonitrile: Toxic by inhalation, in contact with skin and if swallowed. May cause cancer. Suspected of damaging the unborn child. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.				
	1,3-Butadiene: May cause cancer. May cause genetic defects.				



According to EU Directive 1907/2006, as amended

# **Product name: ABS**

Date of issue: 23-07-2018

Version: 3.2

Symptoms Dust:

Can cause skin, eye and respiratory tract irritation. The melted product can cause severe burns.

Thermal treatment, Processing:

Irritating to eyes, respiratory system and skin.

In case of ingestion: Swallowing may cause gastrointestinal irritation and pain of guts.

# 12. Ecological information

# 12.1 Toxicity

Aquatic toxicity:no evidence of aquatic toxicityWater Hazard Class:nwg = non-hazardous to water (WGK catalog number 766)

#### 12.2. Persistence and degradability

Further details: Biodegradation: Product is not readily biodegradable. The product is likely to persist in the environment.

Effects in sewage plants:

In sewage treatment plants it may be separated mechanically.

# 12.3 Bioaccumulative potential

To avoid bioaccumulation plastics should not be disposed in the sea or in other water environments. Partition coefficient n-octanol/water: No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

# 12.6 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

# 13. Disposal considerations

# 13.1 Waste treatment methods

 

 Product

 Waste key number:

 07 02 99 =

 wastes from the MFSU of plastics, synthetic rubber and manmade fibres MFSU = manufacture, formulation, supply and use

 Recommendation:

 With due observance of the regulations laid down by the local authorities, this must be brought to a suitable incineration plant/waste disposal site.

Page 7 / 10



According to EU Directive 1907/2006, as amended

# Product name: ABS

Date of issue: 23-07-2018

Version: 3.2

Contaminated packaging Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be recycled.

# 14. Transport information

Product has been classified as being non-dangerous substance according to transport regulations ADR, RID, IMDG, IATA/ICAO

- **14.1 UN number** Not applicable
- 14.2 UN proper shipping name
- Not applicable14.3 Transport hazard class(es) Not applicable
- 14.4 Packing Group Not applicable 14.5 Environmental hazards
- No additional data is available 14.6 Special precautions for user
- 14.6 Special precautions for us No data available
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not evaluated

# 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - Great Britain Hazchem-Code: -National regulations - USA

Hazard rating systems:

NFPA Hazard Rating: Health: 1 (Slight) Fire: 1 (Slight) Reactivity: 0 (Minimal) HMIS Version III Rating: Health: 1 (Slight) Flammability: 1 (Slight) Physical Hazard: 0 (Minimal) Personal Protection: X = Consult your supervisor

# 15.2 Chemical Safety Assessment

For this substance a chemical safety assessment is not required



Safety Data Sheet According to EU Directive 1907/2006, as amended

Product name: ABS Date of issue: 23-07-2018

Version: 3.2

Page 9 / 10



According to EU Directive 1907/2006, as amended

# **Product name: ABS**

Date of issue: 23-07-2018

Version: 3.2

#### 16. Other information

Information is referenced from other manufacturers. For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 and Regulation (EC) No. 2015/830. Label element according to Regulation (EC) No 1272/2008.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.